



PRICE LIST 2012

* For shipments to **Europe** the additional cost is **USD 2,50** per plant (shipping and handling) and for **Asia** it is **USD 3.00**, per plant.

* The payments can be done by PayPal to sales@mundiflora.com

The PayPal fee is 3%.

DISCOUNTS:

USD 1000 - 3000 = 10%

USD 3001 - 5000 = 15%

USD 5001 - 10000 = 20%

more than 10001 = 25%

This price list is subject to plant availability and the prices may change without notice.

According to International regulations, the plants must be shipped bare root, that means free of substrate.

In order to provide to the plant of necessary hydration, we covered its roots with sphagnum moss.

| GENUS & SPECIES | USD | Climate |
|--------------------------------------|-----|----------------------|
| Orchid species | | |
| Acianthera (Pleurothallis) pubescens | 10 | Warm to Intermediate |
| Acineta superba | 15 | Intermediate to Warm |
| Ackermania caudata | 15 | Warm |
| Ackermania palorae | 12 | Warm |
| Acronia adeleae | 15 | Intermediate |
| Acronia cordata | 12 | Intermediate |
| Acronia diabolica | 15 | Intermediate |
| Acronia dibolia | 15 | Intermediate |
| Acronia ensata | 10 | Intermediate |
| Acronia erythrium | 15 | Intermediate |
| Acronia gargantua | 25 | Warm |
| Acronia hoeijeri | 12 | Intermediate |
| Acronia imperialis | 18 | Intermediate |
| Acronia linguifera yellow | 15 | Cool |
| Acronia portillae | 15 | Cool |
| Acronia ruberrima | 10 | Intermediate |
| Acronia scurrua | 10 | Intermediate |
| Acronia teaguei | 40 | Warm |
| Ada aurantiaca | 12 | Cool |
| Ada ocanensis | 10 | Intermediate |
| Anathallis (Pleurothallis) regalis | 10 | Intermediate |
| Ancipitia crocodiliceps | 12 | Intermediate to Warm |
| Ancipitia niveoglobula | 10 | Warm |
| Andinia dalstroemii | 10 | Cool |
| Andinia lappacea | 18 | Warm |
| Andinia pensilis | 15 | Cool |
| Andinia schizopogon | 12 | Cool |
| Andinia schizopogon var white | 18 | Cool |
| Anguloa clowesii | 15 | Intermediate |
| Anguloa eburnea | 15 | Cool to Intermediate |
| Anguloa uniflora | 12 | Warm |
| Anguloa virginalis | | |

| | | |
|---|----|------------------------|
| <i>Arundina gram inifolia</i> | 18 | W arm |
| <i>Aspasia psittacina</i> | 12 | W arm |
| <i>Barbosella cucullata</i> | 10 | Cool |
| <i>Barbosella hirtzii</i> | 10 | W arm |
| <i>Batem annia colleyi</i> | 12 | W arm |
| <i>Bletia catenulata</i> | 12 | W arm |
| <i>Bletia purpurea</i> | 10 | W arm |
| <i>Bollea coelestis</i> | 16 | W arm |
| <i>Bollea ecuadorana</i> | 12 | Interm ediate |
| <i>Bollea ecuadorana blue</i> | 25 | Interm ediate |
| <i>Bollea hirtzii</i> | 25 | Interm ediate |
| <i>Brassavola nodosa</i> | 10 | Interm ediate to W arm |
| <i>Brassavola ovaliform is</i> | 18 | Interm ediate to W arm |
| <i>Brassia arcuigera</i> | 12 | W arm |
| <i>Brassia caudata</i> | 12 | Interm ediate to W arm |
| <i>Brassia jipijapensis</i> | 15 | Interm ediate to W arm |
| <i>Brassia lanceana</i> | 20 | Interm ediate to W arm |
| <i>Brassia wagneriana</i> | 12 | Interm ediate to W arm |
| <i>Brifenaria petiolaris</i> | 18 | Interm ediate to W arm |
| <i>Campylocentrum colombianum</i> | 10 | W arm |
| <i>Campylocentrum minuta</i> | 15 | W arm |
| <i>Catasetum expansum</i> | 10 | W arm |
| <i>Catasetum incurvum</i> | 25 | W arm |
| <i>Catasetum longifolium</i> | 25 | W arm |
| <i>Catasetum macroglossum</i> | 10 | W arm |
| <i>Catasetum tenebrosum</i> | 20 | W arm |
| <i>Catasetum saccatum</i> | 10 | W arm |
| <i>Catasetum schunkei</i> | 20 | |
| <i>Cattleya dowiana *</i> | 45 | W arm |
| <i>Cattleya gaskelliana</i> | | |
| <i>Cattleya iricolor</i> | 16 | W arm |
| <i>Cattleya maxima</i> | 15 | W arm |
| <i>Cattleya luteola</i> | 20 | W arm |
| <i>Cattleya rex</i> | 35 | W arm |
| <i>Cattleya mooreana</i> | 30 | W arm |
| <i>Cattleya percibaliana</i> | | |
| <i>Cattleya quadricolor</i> | 25 | W arm |
| <i>Cattleya trianae</i> | 20 | W arm |
| <i>Cattleya violacea</i> | 20 | W arm |
| <i>Cattleya warscewiczii</i> | 15 | W arm |
| <i>Cattleya warscewiczii var sanderiana</i> | 35 | W arm |
| <i>Caucaea nubigena</i> | 10 | Cool |
| <i>Caucaea phalaenopsis</i> | 10 | Cool |
| <i>Chaubardia heteroclita</i> | 12 | W arm |
| <i>Chaubardiella dalessandroi</i> | 12 | W arm |
| <i>Chaubardiella klugii</i> | 16 | W arm |
| <i>Chondrorhyncha andreae</i> | | Interm ediate to W arm |
| <i>Chondrorhyncha merana</i> | 12 | Interm ediate to W arm |
| <i>Chondrorhyncha viridisejala</i> | 14 | W arm |
| <i>Chondrosaphe chestertonii</i> | 14 | Interm ediate to W arm |

| | | |
|-------------------------------------|----|----------------------|
| <i>Chondroscape merana</i> | 12 | Intermediate to Warm |
| <i>Chrysocynis schlimii*</i> | 20 | Intermediate to Warm |
| <i>Cischweinfia dasyandra</i> | 12 | Intermediate to Warm |
| <i>Cischweinfia rostrata</i> | 12 | Warm |
| <i>Cischweinfia popowiana</i> | 12 | Warm |
| <i>Cischweinfia suarezii</i> | 12 | Warm |
| <i>Cochleanthes ionoleuca</i> | 15 | Intermediate to Warm |
| <i>Cochleanthes amazonica</i> | 20 | Intermediate to Warm |
| <i>Cochlioda beyrodtiana</i> | 15 | Cool |
| <i>Cochlioda noezliana</i> | 15 | Cool |
| <i>Cochlioda rosea</i> | 12 | Intermediate to Warm |
| <i>Cochlioda vulcanica</i> | 12 | Intermediate to Warm |
| <i>Cohniella cebolleta</i> | 15 | Warm |
| <i>Cohniella cebolleta type</i> | 12 | Warm |
| <i>Comparettia falcata</i> | 12 | Warm |
| <i>Comparettia macroplectrum</i> | 12 | Intermediate to Warm |
| <i>Comparettia speciosa</i> | 14 | Warm |
| <i>Coryanthes leucocorys</i> | 22 | Warm |
| <i>Cryptarrhena kegelii</i> | 22 | Warm |
| <i>Cryptarrhena lunata</i> | 20 | Warm |
| <i>Cryptocentrum latifolium</i> | 18 | Warm |
| <i>Cyclopogon epiphyticus</i> | 12 | Warm |
| <i>Cyclopogon lindleyanum</i> | 12 | Cool |
| <i>Cycnoches cooperii</i> | 40 | Warm |
| <i>Cycnoches lehmanni</i> | 25 | Warm |
| <i>Cycnoches peruvianum</i> | 20 | Warm |
| <i>Cyrtochilum cuencanum</i> | 15 | Cool |
| <i>Cyrtochilum dipterum</i> | | |
| <i>Cyrtochilum edwardii</i> | 15 | Cool |
| <i>Cyrtochilum loxense</i> | 15 | Cool |
| <i>Cyrtochilum matanguense</i> | 15 | Cool |
| <i>Cyrtochilum macranthum</i> | 14 | Cool |
| <i>Cyrtochilum macranthum nanum</i> | 17 | Cool |
| <i>Cyrtochilum meirax</i> | 10 | Warm |
| <i>Cyrtochilum myanthum</i> | 12 | Cool |
| <i>Cyrtochilum pastazae</i> | 18 | Cool |
| <i>Cyrtochilum pardinum</i> | 12 | Cool |
| <i>Cyrtochilum retusum</i> | 14 | Cool |
| <i>Cyrtochilum serratum</i> | 18 | Cool |
| <i>Cyrtochilum superbiens</i> | | Cool |
| <i>Cyrtochilum villenorum</i> | | Cool |
| <i>Cyrtopodium paniculatum</i> | 18 | Cool |
| <i>Diadenium micranthum</i> | 15 | Warm |
| <i>Dichaea panamensis</i> | 10 | Warm |
| <i>Dichaea ancoraelabia</i> | 10 | Warm |
| <i>Dichaea ecuadorensis</i> | 12 | Warm |
| <i>Dichaea hastilabia</i> | 12 | Warm |
| <i>Dichaea histrio</i> | 12 | Warm |
| <i>Dichaea hystricina</i> | 10 | Warm |
| <i>Dichaea longa</i> | 12 | Warm |
| <i>Dichaea morrissi</i> | 10 | Warm |

| | | |
|----------------------------------|----|----------------------|
| <i>Dichaea muricata</i> | 14 | Warm |
| <i>Dichaea picta</i> | 10 | Warm |
| <i>Dichaea trulla</i> | 10 | Warm |
| <i>Dimerandra rimbachii</i> | 12 | Warm |
| <i>Diodonopsis hoeijeri</i> | 10 | Warm |
| <i>Diptheranthus estradae</i> | 15 | Warm |
| <i>Dracula andrettae</i> * | 20 | Cool |
| <i>Dracula benedicti</i> | | |
| <i>Dracula chestertonii</i> | | |
| <i>Dracula chimera</i> | 10 | Intermediate |
| <i>Dracula cordobae</i> | 10 | Intermediate |
| <i>Dracula dalessandroi</i> | 25 | Cool to Intermediate |
| <i>Dracula deltoidea</i> | 14 | Intermediate |
| <i>Dracula diana</i> | 15 | Intermediate to Warm |
| <i>Dracula felix</i> | 10 | Intermediate to Warm |
| <i>Dracula gigas</i> * | 15 | Cool to Intermediate |
| <i>Dracula gorgonella</i> | 18 | Intermediate |
| <i>Dracula gorgona</i> | 20 | Intermediate to Warm |
| <i>Dracula hirsuta</i> | 12 | Intermediate to Warm |
| <i>Dracula houtteana</i> | | Cool to Intermediate |
| <i>Dracula inaequalis</i> * | 12 | Intermediate to Warm |
| <i>Dracula iricolor</i> | 15 | Intermediate to Warm |
| <i>Dracula lafleurii</i> | 65 | Intermediate to Warm |
| <i>Dracula levii</i> | 18 | Intermediate to Warm |
| <i>Dracula lotax</i> | 10 | Intermediate to Warm |
| <i>Dracula marsupialis</i> | 50 | Intermediate |
| <i>Dracula mendozae</i> | 60 | Cool to Intermediate |
| <i>Dracula mopsus</i> | 10 | Intermediate |
| <i>Dracula navarorum</i> | | |
| <i>Dracula platycrater</i> | 22 | Intermediate to Warm |
| <i>Dracula posadarum</i> | 15 | Cool to Intermediate |
| <i>Dracula radiosa</i> | 14 | Cool to Intermediate |
| <i>Dracula radiella</i> | 10 | Cool to Intermediate |
| <i>Dracula rezekiana</i> | 18 | Intermediate to Warm |
| <i>Dracula simia</i> | 10 | Intermediate to Warm |
| <i>Dracula sodiroi</i> | 10 | Cool to Intermediate |
| <i>Dracula velutina</i> | | |
| <i>Dracula venosa</i> * | 25 | Intermediate |
| <i>Dracula vespertilio</i> | 10 | Intermediate to Warm |
| <i>Dracula wallisii</i> * | 25 | Intermediate |
| <i>Dracula lotax</i> | 10 | Warm |
| <i>Dresslera eburnea</i> | 14 | Warm |
| <i>Dresslerella hirsutissima</i> | 15 | Warm |
| <i>Dresslerella lasiocampa</i> | 15 | Warm |
| <i>Dryadella aurea orange</i> | 10 | Warm |
| <i>Dryadella cristata</i> | 10 | Intermediate to Warm |
| <i>Dryadella portillae</i> | 10 | Intermediate to Warm |
| <i>Dryadella pusio la</i> | 10 | Intermediate to Warm |
| <i>Dryadella simula</i> | 10 | Intermediate to Warm |
| <i>Elleanthus blatteus</i> | 15 | Intermediate |

| | | |
|-----------------------------------|----|----------------------|
| <i>Elleanthus blatteus orange</i> | 18 | Intermediate |
| <i>Elleanthus capitatus</i> | 15 | Intermediate |
| <i>Elleanthus oliganthus</i> | 14 | Intermediate |
| <i>Embreea rodigasiana</i> | 12 | Warm |
| <i>Encyclia aspera</i> | 14 | Warm |
| <i>Encyclia cordigera</i> | 10 | Warm |
| <i>Encyclia fragrans</i> | 15 | Warm |
| <i>Encyclia naranjapatisensis</i> | 35 | Warm |
| <i>Encyclia thienii</i> | 12 | Warm |
| <i>Epidendrum albertii</i> | 15 | Cool |
| <i>Epidendrum angaritae</i> | 15 | Cool |
| <i>Epidendrum angaritae white</i> | 20 | Cool |
| <i>Epidendrum bracteolatum</i> | 10 | Cool |
| <i>Epidendrum bifalce*</i> | 25 | Cool |
| <i>Epidendrum calanthum</i> | 10 | Intermediate to Warm |
| <i>Epidendrum calanthum white</i> | 15 | Cool |
| <i>Epidendrum capricornum</i> | 14 | Cool |
| <i>Epidendrum ciliare*</i> | 15 | Warm |
| <i>Epidendrum coronatum</i> | 15 | Cool |
| <i>Epidendrum coryophurum</i> | 15 | Cool |
| <i>Epidendrum cylindrostachys</i> | 10 | Cool |
| <i>Epidendrum elegantissimum</i> | 15 | Cool |
| <i>Epidendrum embreei*</i> | 15 | Cool |
| <i>Epidendrum escobarianum</i> | 20 | Intermediate to Warm |
| <i>Epidendrum fimbriatum</i> | 12 | Cool |
| <i>Epidendrum gastropodium</i> | 10 | Cool |
| <i>Epidendrum gnomus</i> | 10 | Cool |
| <i>Epidendrum hugomedinae aff</i> | | |
| <i>Epidendrum lacustre</i> | 15 | Cool |
| <i>Epidendrum lehmanni</i> | 14 | Cool |
| <i>Epidendrum littorale</i> | 14 | Cool |
| <i>Epidendrum mancum</i> | 20 | Cool |
| <i>Epidendrum mancum aff.</i> | 25 | Cool |
| <i>Epidendrum medusae</i> | 15 | Cool |
| <i>Epidendrum moronenses</i> | 14 | Warm |
| <i>Epidendrum nanum</i> | 10 | Cool |
| <i>Epidendrum nocturnum</i> | 12 | Intermediate to Warm |
| <i>Epidendrum nocturnum minor</i> | 12 | Intermediate to Warm |
| <i>Epidendrum oxapampense</i> | 10 | Warm |
| <i>Epidendrum parviflorum</i> | 18 | Intermediate to Warm |
| <i>Epidendrum porphyreum</i> | 15 | Cool |
| <i>Epidendrum purum</i> | 12 | Intermediate to Warm |
| <i>Epidendrum quitensium</i> | 12 | Intermediate to Warm |
| <i>Epidendrum secundum</i> | 12 | Intermediate to Warm |
| <i>Epidendrum schomburgkii</i> | 12 | Warm |
| <i>Epidendrum schlimii</i> | 15 | Intermediate to Warm |
| <i>Epidendrum sophronitoides</i> | 10 | Warm |
| <i>Epidendrum suavis</i> | 17 | Cool |
| <i>Epidendrum zosterifolium</i> | 12 | Cool |
| <i>Eriopsis biloba</i> | 10 | Intermediate |

| | | |
|-------------------------------------|----|----------------------|
| <i>Eriopsis sceptrum</i> | 15 | Intermediate |
| <i>Erythrodes erythrodoides</i> | 12 | Intermediate |
| <i>Fernandezia subbiflora</i> | 12 | Cool |
| <i>Galeottia acuminata</i> | 17 | Intermediate to Warm |
| <i>Gongora gracilis</i> | 15 | Intermediate to Warm |
| <i>Gongora gratulabunda</i> | 12 | Warm |
| <i>Gongora grossa</i> | 12 | Warm |
| <i>Gongora odoratissima</i> | 12 | Warm |
| <i>Gongora portentosa</i> | 10 | Warm |
| <i>Gongora rufescens</i> | 12 | Warm |
| <i>Gongora quinquenervis</i> | 10 | Warm |
| <i>Gongora scaphephorus</i> | 10 | Warm |
| <i>Helcia sanguinolenta</i> | 10 | Cool |
| <i>Houlletia elata</i> | 15 | Intermediate to Warm |
| <i>Houlletia odoratissima</i> | 16 | Intermediate to Warm |
| <i>Houlletia tigrina</i> | 18 | Intermediate to Warm |
| <i>Huntleya fasciata</i> | 20 | Warm |
| <i>Huntleya gustavi</i> | 20 | Warm |
| <i>Huntleya lucida</i> | | |
| <i>Huntleya meleagris</i> | 15 | Warm |
| <i>Huntleya wallissii</i> | 30 | Warm |
| <i>Ida ciliata</i> | 12 | Intermediate |
| <i>Ida cinnabarina</i> | 18 | Intermediate |
| <i>Ida fimbrata</i> | 14 | Intermediate |
| <i>Ida fragrans</i> | 20 | Intermediate |
| <i>Ida rikki</i> | 18 | Intermediate to Warm |
| <i>Ionopsis satyroides</i> | 10 | Warm |
| <i>Ionopsis utricularioides</i> | 10 | Warm |
| <i>Kefersteinia laminata*</i> | 15 | Warm |
| <i>Kefersteinia lojae</i> | 12 | Warm |
| <i>Kefersteinia lojae type</i> | 15 | Warm |
| <i>Kefersteinia mystacina.</i> | 12 | Warm |
| <i>Kefersteinia ocellata</i> | 15 | Warm |
| <i>Kefersteinia oscarrii</i> | 20 | Warm |
| <i>Kefersteinia pellita</i> | 13 | Intermediate to Warm |
| <i>Kefersteinia tolimensis type</i> | 13 | Warm |
| <i>Koellensteinia eburnea</i> | 18 | Warm to Intermediate |
| <i>Koellensteinia graminea</i> | 10 | Warm |
| <i>Koellensteinia ionoptera*</i> | 28 | Warm |
| <i>Lepanthes aculeata</i> | 15 | Intermediate to Warm |
| <i>Lepanthes aeora*</i> | 10 | Cool |
| <i>Lepanthes calliope*</i> | 15 | Cool |
| <i>Lepanthes calodictyon</i> | 14 | Intermediate to Warm |
| <i>Lepanthes chorista</i> | 12 | Intermediate to Warm |
| <i>Lepanthes cingens</i> | 12 | Cool to Intermediate |
| <i>Lepanthes dalessandroi</i> | 14 | Cool to Intermediate |
| <i>Lepanthes elegantula</i> | 10 | Cool |
| <i>Lepanthes gargantua</i> | 22 | Cool |
| <i>Lepanthes gargoyle</i> | 12 | Intermediate to Warm |
| <i>Lepanthes hirtzii</i> | 15 | Cool |

| | | |
|----------------------------------|----|----------------------|
| <i>Lepanthes jimenezensis</i> | 27 | Warm |
| <i>Lepanthes manabina</i> * | 15 | Intermediate |
| <i>Lepanthes melpomene</i> | 12 | Intermediate to Warm |
| <i>Lepanthes meniscophora</i> | | |
| <i>Lepanthes micropetala</i> | 18 | Warm |
| <i>Lepanthes mucronata</i> | 12 | Cool |
| <i>Lepanthes mulleriana</i> | 28 | Intermediate |
| <i>Lepanthes nummularia</i> | 18 | Intermediate |
| <i>Lepanthes ophelma</i> | 18 | Warm |
| <i>Lepanthes pilosella</i> | | |
| <i>Lepanthes platycephala</i> | 12 | Cool to Intermediate |
| <i>Lepanthes scalaris</i> | 15 | Cool |
| <i>Lepanthes tachirensis</i> | 15 | Cool |
| <i>Lepanthes teliponiflora</i> | | |
| <i>Lepanthes vellicata</i> | 12 | Cool |
| <i>Lepanthes zamorensis</i> | 14 | Warm |
| <i>Lepanthes tentaculata</i> | 15 | Warm |
| <i>Lepanthopsis acetabulum</i> | 12 | Warm |
| <i>Lepanthopsis acuminata</i> | 12 | Warm |
| <i>Lepanthes chelonion</i> | 15 | Intermediate to Warm |
| <i>Lepanthopsis acuminata</i> | 10 | Cool |
| <i>Lockhartia longifolia</i> | 13 | Intermediate to Warm |
| <i>Lockhartia biserra</i> | 12 | Intermediate to Warm |
| <i>Lockhartia hercodonta</i> | 13 | Intermediate to Warm |
| <i>Lockhartia serra</i> | 13 | Intermediate to Warm |
| <i>Lycaste cinnabarina</i> | 18 | Cool to Intermediate |
| <i>Lycaste heynderycxii</i> | 20 | Cool to Intermediate |
| <i>Lycaste longipetala</i> | 10 | Cool to Intermediate |
| <i>Lycaste nana</i> | 15 | Cool to Intermediate |
| <i>Lycaste trifoliata</i> | 20 | Intermediate to Warm |
| <i>Lycaste xytriphora</i> | 15 | Intermediate to Warm |
| <i>Lycomorium fiskii</i> | 20 | Cool to Intermediate |
| <i>Macradenia brassavolae</i> | 18 | Cool to Intermediate |
| <i>Macroclinium dalessandroi</i> | 10 | Warm |
| <i>Macroclinium manabinum</i> | 10 | Warm |
| <i>Macroclinium xyphophorus</i> | 10 | Warm |
| <i>Masdevallia guttulata</i> * | 10 | Intermediate |
| <i>Masdevallia abbreviata</i> | 10 | Cool to Intermediate |
| <i>Masdevallia affinis</i> | 22 | Cool to Intermediate |
| <i>Masdevallia agaster</i> | 15 | Cool to Intermediate |
| <i>Masdevallia amabilis</i> | | |
| <i>Masdevallia amaluzae</i> | 10 | Intermediate |
| <i>Masdevallia amandae</i> | 18 | Cool to Intermediate |
| <i>Masdevallia ampullacea</i> | 10 | Warm |
| <i>Masdevallia anachaeta</i> | 10 | Cool to Intermediate |
| <i>Masdevallia anceps</i> | 15 | Cool to Intermediate |
| <i>Masdevallia andreettaeana</i> | 10 | Warm |
| <i>Masdevallia angulata</i> | 10 | Intermediate |
| <i>Masdevallia angulata aff</i> | 15 | Cool to Intermediate |
| <i>Masdevallia aops</i> | 15 | Intermediate |

| | | |
|--------------------------------|----|------------------------|
| M asdevallia asterotricha | 12 | W arm |
| M asdevallia ayabacana | 25 | Interm ediate to W arm |
| M asdevallia bangii | 8 | Cool to Intermed iate |
| M asdevallia bicolor | 10 | W arm |
| M asdevallia brachyura | 10 | Interm ediate |
| M asdevallia caesia | 18 | Cool |
| M asdevallia carmenesis | 10 | Cool |
| M asdevallia carruthersiana | 10 | Interm ediate |
| M asdevallia caudivolvula | 12 | Cool to Intermed iate |
| M asdevallia cerastes | 12 | Cool to Intermed iate |
| M asdevallia chontalensis | 12 | Cool to Intermed iate |
| M asdevallia citrinella | 12 | Interm ediate |
| M asdevallia coccinea | 10 | Cool |
| M asdevallia constricta | 15 | Interm ediate to W arm |
| M asdevallia corderoana | 15 | Cool to Intermed iate |
| M asdevallia corderoana type 1 | 20 | Cool to Intermed iate |
| M asdevallia corderoana type 2 | 20 | Cool to Intermed iate |
| M asdevallia coriacea* | 10 | Cool to Intermed iate |
| M asdevallia cucullata | | Cool |
| M asdevallia decumana | 12 | Interm ediate |
| M asdevallia deformis | 12 | Cool |
| M asdevallia dimorphotricha | 12 | Cool to Intermed iate |
| M asdevallia donquijote | 15 | W arm |
| M asdevallia dura | 10 | Cool |
| M asdevallia dynastes | 15 | Cool |
| M asdevallia empusa* | 15 | Cool |
| M asdevallia eurynogaster | 10 | Interm ediate |
| M asdevallia fractiflexa | 10 | Interm ediate to W arm |
| M asdevallia glandulosa | 18 | Interm ediate to W arm |
| M asdevallia guttulata | 10 | Interm ediate to W arm |
| M asdevallia hartmannii | 35 | Interm ediate |
| M asdevallia hirtzii | 10 | Interm ediate |
| M asdevallia ignea* | 18 | Cool |
| M asdevallia instar* | 10 | Cool |
| M asdevallia klabochiorum | 12 | Interm ediate to W arm |
| M asdevallia lamprotyria | | |
| M asdevallia lehmannii | 25 | Cool |
| M asdevallia leonii | 25 | Interm ediate |
| M asdevallia leucantha | 10 | Interm ediate to W arm |
| M asdevallia limax | 10 | |
| M asdevallia lintrricula | 12 | Interm ediate to W arm |
| M asdevallia lucernula | 20 | Cool |
| M asdevallia lychniphora | 16 | Cool |
| M asdevallia lynniana | 28 | Cool to Intermed iate |
| M asdevallia macropus | 12 | Cool |
| M asdevallia macrura | 35 | Cool |
| M asdevallia mayaycu | | |
| M asdevallia mejiana | 20 | Interm ediate |
| M asdevallia mendozae | 10 | Cool to Intermed iate |
| M asdevallia microsiphon | 12 | Cool |

| | | |
|---|----|----------------------|
| <i>M asdevallia m inuta</i> | 12 | Cool |
| <i>M asdevallia m isasii</i> | | |
| <i>M asdevallia m urex</i> | 10 | Intermediate |
| <i>M asdevallia m utica</i> | 20 | Cool |
| <i>M asdevallia nidifica</i> | 10 | Cool |
| <i>M asdevallia pachyura</i> | 12 | Cool |
| <i>M asdevallia pachyura big</i> | 15 | Cool |
| <i>M asdevallia panguiensis</i> | 12 | Warm |
| <i>M asdevallia patriciana</i> | 12 | Intermediate |
| <i>M asdevallia patula</i> | 10 | Intermediate |
| <i>M asdevallia peristeria</i> | 10 | Intermediate to Warm |
| <i>M asdevallia persicina</i> | 14 | Warm |
| <i>M asdevallia picta</i> | 10 | Cool to Intermediate |
| <i>M asdevallia picturata</i> | 10 | Cool |
| <i>M asdevallia pinocchio</i> | 18 | Intermediate to Warm |
| <i>M asdevallia plantaginea</i> | 25 | Intermediate |
| <i>M asdevallia platyglossa</i> | 12 | Intermediate |
| <i>M asdevallia polysticta different clones</i> | 10 | Cool |
| <i>M asdevallia pumila</i> | 12 | Cool |
| <i>M asdevallia princeps</i> | 20 | Intermediate to Warm |
| <i>M asdevallia prodigiosa</i> | 15 | Cool |
| <i>M asdevallia racemosa</i> | 12 | Cool |
| <i>M asdevallia rojhonii</i> | 25 | Intermediate |
| <i>M asdevallia rosea</i> | 15 | Cool |
| <i>M asdevallia sanchezii</i> | 12 | Cool to Intermediate |
| <i>M asdevallia sanctae-inesae</i> | 20 | Intermediate |
| <i>M asdevallia sanguinea</i> | 20 | Intermediate |
| <i>M asdevallia setacea</i> | | |
| <i>M asdevallia staaliana</i> | 17 | Cool to Intermediate |
| <i>M asdevallia strobilii</i> | 12 | Intermediate |
| <i>M asdevallia suinii</i> | 20 | Cool to Intermediate |
| <i>M asdevallia syringodes</i> | | |
| <i>M asdevallia torulosa</i> | 12 | Intermediate to Warm |
| <i>M asdevallia tridens</i> | 12 | Cool to Intermediate |
| <i>M asdevallia trivenia</i> | 18 | Intermediate to Warm |
| <i>M asdevallia trochilus</i> | 10 | Intermediate to Warm |
| <i>M asdevallia tubulosa</i> | 10 | Intermediate to Warm |
| <i>M asdevallia ventricularia</i> | 15 | Cool to Intermediate |
| <i>M asdevallia virens</i> | 10 | Intermediate |
| <i>M asdevallia virgo cuencae</i> | 10 | Intermediate to Warm |
| <i>M asdevallia weberbauerii</i> | 12 | Intermediate to Warm |
| <i>M asdevallia whitteana</i> | | |
| <i>M asdevallia wurdackii</i> | 10 | Cool |
| <i>M asdevallia xanthina</i> | 10 | Intermediate |
| <i>M asdevallia zahlbrucknerii aff.</i> | 10 | Intermediate to Warm |
| <i>M asdevallia zapatae</i> | | |
| <i>M axillaria acuminata</i> | 12 | Intermediate to Warm |
| <i>M axillaria acutifolia</i> | 15 | Intermediate to Warm |
| <i>M axillaria alpestris</i> | 18 | Intermediate to Warm |
| <i>M axillaria arachnites</i> | 15 | Intermediate to Warm |

| | | |
|--|----|----------------------|
| <i>Maxillaria arbuscula</i> | 15 | Intermediate to Warm |
| <i>Maxillaria brunnea</i> | 12 | Intermediate to Warm |
| <i>Maxillaria callichroma</i> | 10 | Intermediate to Warm |
| <i>Maxillaria chacoensis</i> | 15 | Intermediate to Warm |
| <i>Maxillaria cloantha</i> | 10 | Intermediate to Warm |
| <i>Maxillaria conferta</i> | 15 | Intermediate to Warm |
| <i>Maxillaria confusa</i> | 12 | Intermediate to Warm |
| <i>Maxillaria dallessandroi</i> | 15 | Intermediate to Warm |
| <i>Maxillaria desvauxiana</i> | 15 | Intermediate to Warm |
| <i>Maxillaria discolor</i> | 10 | Intermediate to Warm |
| <i>Maxillaria ecuadorensis</i> | 12 | Intermediate to Warm |
| <i>Maxillaria ecuadorensis yellow</i> | 15 | Intermediate to Warm |
| <i>Maxillaria equitans</i> | 15 | Intermediate to Warm |
| <i>Maxillaria fletcheriana</i> | 15 | Intermediate to Warm |
| <i>Maxillaria fractiflexa</i> | 20 | Intermediate to Warm |
| <i>Maxillaria fucshii</i> | 15 | Intermediate to Warm |
| <i>Maxillaria grandiflora</i> | 15 | Intermediate to Warm |
| <i>Maxillaria grandimentum</i> | 10 | Intermediate to Warm |
| <i>Maxillaria guadalupensis</i> | 15 | Intermediate to Warm |
| <i>Maxillaria huancabambae</i> | 15 | Intermediate to Warm |
| <i>Maxillaria imbricata</i> | 12 | Intermediate to Warm |
| <i>Maxillaria lehmannii</i> | 16 | Intermediate |
| <i>Maxillaria lepidota</i> | 12 | Cool |
| <i>Maxillaria leptocera</i> | 15 | Intermediate to Warm |
| <i>Maxillaria longipes</i> | 15 | Intermediate to Warm |
| <i>Maxillaria longissima</i> | 15 | Intermediate |
| <i>Maxillaria dallessandroi</i> | 15 | Intermediate to Warm |
| <i>Maxillaria mathewsii</i> | 12 | Intermediate to Warm |
| <i>Maxillaria melina</i> | 12 | Intermediate to Warm |
| <i>Maxillaria molitor*</i> | 12 | Cool |
| <i>Maxillaria multicaulis</i> | 12 | Intermediate to Warm |
| <i>Maxillaria nardooides</i> | 15 | Intermediate to Warm |
| <i>Maxillaria nasuta</i> | 12 | Intermediate to Warm |
| <i>Maxillaria neophylla</i> | 12 | Intermediate to Warm |
| <i>Maxillaria nutans</i> | 12 | Intermediate to Warm |
| <i>Maxillaria perryae</i> | 15 | Intermediate to Warm |
| <i>Maxillaria reichenheimiana*</i> | 10 | Warm |
| <i>Maxillaria pseudoreichenheimiana*</i> | 12 | Warm |
| <i>Maxillaria rodigasiana</i> | 15 | Intermediate to Warm |
| <i>Maxillaria rubioi</i> | 15 | Intermediate to Warm |
| <i>Maxillaria rufescens</i> | 15 | Intermediate to Warm |
| <i>Maxillaria rufescens big flower</i> | 25 | Intermediate to Warm |
| <i>Maxillaria sanderiana*</i> | 15 | Cool |
| <i>Maxillaria setigera (leptosepala)</i> | 12 | Intermediate to Warm |
| <i>Maxillaria sheppardii</i> | 15 | Warm |
| <i>Maxillaria splendens</i> | 14 | Intermediate to Warm |
| <i>Maxillaria striata</i> | 17 | Intermediate |
| <i>Maxillaria turkeliae</i> | 22 | Cool to Intermediate |
| <i>Maxillaria uncata</i> | 14 | Intermediate to Warm |
| <i>Maxillaria venusta</i> | 11 | Intermediate to Warm |

| | | |
|--|----|----------------------|
| <i>Maxillaria vulcanica</i> | 18 | Cool to Intermediate |
| <i>Mesospidium incantans</i> | 10 | Warm |
| <i>Miltoniopsis bismarckii</i> | 12 | Intermediate |
| <i>Miltoniopsis roezlii</i> | 12 | Intermediate to Warm |
| <i>Miltoniopsis vexillaria</i> | 10 | Intermediate |
| <i>Mormodes buccinatur</i> | 18 | Warm |
| <i>Mormodes lawrenceana</i> | 20 | Warm |
| <i>Mormodes variabilis</i> | 18 | Warm |
| <i>Mormolyca gracilipes</i> | 10 | Warm |
| <i>Mormolyca polyphylla</i> | 17 | Warm |
| <i>Mormolyca ringens</i> | 15 | Warm |
| <i>Moxanthus affinis</i> | 10 | Warm |
| <i>Moxanthus ceratothallis</i> | 12 | Warm |
| <i>Moxanthus georgei</i> | 12 | Warm |
| <i>Moxanthus lappiformis*</i> | 20 | Warm |
| <i>Moxanthus sarcodactylae</i> | 12 | Warm |
| <i>Moxanthus uxorius</i> | 14 | Warm |
| <i>Notylia laxa</i> | 12 | Warm |
| <i>Notylia platyglossa</i> | 12 | Warm |
| <i>Notylia venezuelana</i> | 15 | Warm |
| <i>Octomeria bomboizae</i> | 14 | Warm |
| <i>Octomeria brevifolia</i> | 14 | Warm |
| <i>Octomeria graminifolia</i> | 10 | Warm |
| <i>Octomeria portillae</i> | 14 | Warm |
| <i>Odontoglossum constrictum</i> | 20 | Intermediate |
| <i>Odontoglossum alboroseum</i> | 17 | Cool |
| <i>Odontoglossum aspidhorinum</i> | 15 | Cool |
| <i>Odontoglossum cirrhosum*</i> | 25 | Cool |
| <i>Odontoglossum claviceps</i> | 25 | Cool |
| <i>Odontoglossum crinitum</i> | 8 | Cool |
| <i>Odontoglossum crispum</i> | 20 | Cool |
| <i>Odontoglossum crispum var Pachó</i> | 35 | Cool |
| <i>Odontoglossum cristatum</i> | 12 | Cool |
| <i>Odontoglossum cristatellum</i> | 12 | Cool |
| <i>Odontoglossum cruentum*</i> | 10 | Cool |
| <i>Odontoglossum dallessandroi</i> | 15 | Cool |
| <i>Odontoglossum epidendroides</i> | 14 | Cool |
| <i>Odontoglossum gloriosum</i> | | |
| <i>Odontoglossum halli sanctinum</i> | 10 | Cool |
| <i>Odontoglossum harryanum</i> | 14 | Warm |
| <i>Odontoglossum kegeljani</i> | 10 | Cool |
| <i>Odontoglossum lindleyanum</i> | 14 | Cool to Intermediate |
| <i>Odontoglossum portmanii</i> | 12 | Cool |
| <i>Odontoglossum praestans</i> | 12 | Intermediate |
| <i>Odontoglossum ramossissimum</i> | 20 | Cool |
| <i>Odontoglossum retusum</i> | 15 | Cool |
| <i>Odontoglossum tenue</i> | 10 | Cool |
| <i>Odontoglossum polyxanthum</i> | 10 | Cool |
| <i>Oeceoclades maculata</i> | 12 | Intermediate |
| <i>Oncidium abortivum</i> | 12 | Cool |

| | | |
|--------------------------------------|-----|----------------------|
| <i>Oncidium aloissii</i> | 10 | Cool |
| <i>Oncidium anthocrene</i> | 12 | Cool |
| <i>Oncidium aureum</i> | 10 | Cool |
| <i>Oncidium azuayense</i> | 18 | Cool |
| <i>Oncidium bicameratum</i> | 12 | Intermediate |
| <i>Oncidium crhyromorphium</i> | 10 | Cool |
| <i>Oncidium cucullatum</i> | 15 | Cool |
| <i>Oncidium cucullatum type</i> | 18 | Cool |
| <i>Oncidium echinops</i> | 12 | Intermediate |
| <i>Oncidium endredianum</i> | 15 | Cool |
| <i>Oncidium excavatum</i> | 10 | Cool |
| <i>Oncidium fuscatum</i> | 10 | Warm |
| <i>Oncidium hastilabium</i> | 15 | Warm to Intermediate |
| <i>Oncidium hyphaematicum</i> | 10 | Warm |
| <i>Oncidium klotzschianum</i> | 12 | Intermediate to Warm |
| <i>Oncidium lanceana</i> | 15 | Intermediate to Warm |
| <i>Oncidium nanum</i> | 10 | Intermediate to Warm |
| <i>Oncidium olivaceum</i> | 15 | Intermediate to Warm |
| <i>Oncidium peltiforme</i> | 12 | Warm |
| <i>Oncidium rhodostictum</i> | 18 | Cool |
| <i>Oncidium hyphaematicum</i> | 10 | Warm |
| <i>Ophidion pleurothalloopsis</i> | 10 | Intermediate |
| <i>Ornithocephalus bicornis</i> | 12 | Intermediate to Warm |
| <i>Ornithocephalus dolabratus</i> | 10 | Intermediate |
| <i>Ornithocephalus manabina</i> | 12 | Warm |
| <i>Ornithocephalus suarezae</i> | 14 | Warm |
| <i>Ornithocephalus polyodom</i> | 12 | Intermediate |
| <i>Otoglossum coronarium</i> | 12 | Cool |
| <i>Paphinia cristata</i> | 15 | Warm |
| <i>Paphinia herrerae</i> | 12 | Warm |
| <i>Paphinia herrerae red</i> | 15 | Warm |
| <i>Paphinia posadarum</i> | 20 | Warm |
| <i>Paphinia rugosa</i> | 15 | Warm |
| <i>Peristeria elata</i> | 18 | Warm |
| <i>Peristeria lindeni</i> | 25 | Intermediate |
| <i>Peristeria pendula</i> | 12 | Warm |
| <i>Pescatorea klabochiorum</i> | 18 | Intermediate to Warm |
| <i>Pescatorea lehmannii</i> | 10 | Warm |
| <i>Phragmipedium andreettae</i> | 150 | Warm |
| <i>Phragmipedium besseae</i> | 20 | Warm |
| <i>Phragmipedium caudatum</i> | 35 | Intermediate to Warm |
| <i>Phragmipedium czerwiakowianum</i> | 20 | Warm |
| <i>Phragmipedium dalessandroi</i> | 100 | Warm |
| <i>Phragmipedium fischerii</i> | 100 | Warm |
| <i>Phragmipedium hirtzii</i> | 20 | Warm |
| <i>Phragmipedium lindenni</i> | 20 | Warm |
| <i>Phragmipedium longifolium</i> | 12 | Warm |
| <i>Phragmipedium manzurii</i> | | |
| <i>Phragmipedium pearcei</i> | 12 | Warm |
| <i>Phragmipedium reticulatum</i> | 15 | Warm |

| | | |
|--|----|----------------------|
| <i>Phragmipedium schlimmii</i> | | |
| <i>Phragmipedium wallisii</i> | 22 | Warm |
| <i>Platystelle bellota</i> | 10 | Intermediate to Warm |
| <i>Platystelle calantha</i> | 10 | Intermediate |
| <i>Platystelle dalstroemii</i> | | |
| <i>Platystele hirtzii</i> | 15 | Intermediate to Warm |
| <i>Platystele umbellata</i> | 15 | Intermediate |
| <i>Plectrophora elata</i> | 12 | Intermediate |
| <i>Plectrophora cultrifolia</i> | 15 | Intermediate to Warm |
| <i>Plectrophora triquetra</i> | 10 | Warm |
| <i>Plectrophora zarumensis</i> | 12 | Warm |
| <i>Pleurothallis aechme</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis anceps</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis aspajasensis</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis bivalvis</i> | | |
| <i>Pleurothallis breviscapa</i> | 10 | Intermediate |
| <i>Pleurothallis callipso</i> | | |
| <i>Pleurothallis canaligera</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis canidentis</i> | 17 | Intermediate |
| <i>Pleurothallis cardiostola</i> | 15 | Warm |
| <i>Pleurothallis chamensis</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis chloroleuca</i> | 12 | Intermediate |
| <i>Pleurothallis claviculata</i> | 15 | Cool |
| <i>Pleurothallis condorensis</i> | | |
| <i>Pleurothallis consimilis</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis cypripedioides</i> | 18 | Intermediate |
| <i>Pleurothallis decurrens</i> | 12 | Intermediate |
| <i>Pleurothallis dilemma</i> | 20 | Intermediate |
| <i>Pleurothallis dodsoni type</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis dodsonii type xxx</i> | 20 | Intermediate |
| <i>Pleurothallis erythrium</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis flexuosa</i> | 10 | Warm |
| <i>Pleurothallis flexuosa xanthina</i> | 15 | Intermediate |
| <i>Pleurothallis furcatipetala</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis gracilima</i> | 15 | Cool |
| <i>Pleurothallis grobyi</i> | 10 | Warm |
| <i>Pleurothallis grobyi type</i> | 10 | Warm |
| <i>Pleurothallis hemirhoda</i> | 12 | Warm |
| <i>Pleurothallis hitchcockii</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis imraei</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis index</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis jessupiorum</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis lappago</i> | 15 | Intermediate |
| <i>Pleurothallis liligiae</i> | 15 | Cool |
| <i>Pleurothallis linguifera</i> | 12 | Cool |
| <i>Pleurothallis loranthophylla</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis lynniana</i> | 22 | Intermediate |
| <i>Pleurothallis marthae</i> | 18 | Intermediate to Warm |
| <i>Pleurothallis megalops</i> | 15 | Cool |
| <i>Pleurothallis microcardia</i> | 12 | Intermediate to Warm |

| | | |
|--|----|----------------------|
| <i>Pleurothallis nipterophylla</i> | 25 | Intermediate to Warm |
| <i>Pleurothallis niveoglobula</i> | 10 | Intermediate to Warm |
| <i>Pleurothallis nuda</i> | 10 | Intermediate to Warm |
| <i>Pleurothallis parvifolia</i> | 14 | Intermediate |
| <i>Pleurothallis picta</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis phymatoidea</i> | 15 | Cool |
| <i>Pleurothallis phymatoidea x teaguei</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis ptychophora</i> | 12 | Cool |
| <i>Pleurothallis pubescens</i> | 12 | Warm |
| <i>Pleurothallis purpurea big</i> | 20 | Intermediate to Warm |
| <i>Pleurothallis rabei</i> | 12 | Intermediate |
| <i>Pleurothallis restrepioides</i> | 10 | Cool |
| <i>Pleurothallis rowleyii</i> | 12 | Cool |
| <i>Pleurothallis ruberrima</i> | 10 | Intermediate |
| <i>Pleurothallis sanchezii</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis scalpricaulis black</i> | 14 | Intermediate to Warm |
| <i>Pleurothallis scalpricaulis orange</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis sclerophylla</i> | 10 | Intermediate to Warm |
| <i>Pleurothallis scurrulla</i> | 15 | Intermediate to Warm |
| <i>Pleurothallis secunda</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis shuarii</i> | 14 | Warm |
| <i>Pleurothallis shuarii black</i> | 14 | Warm |
| <i>Pleurothallis shuarii red dark</i> | 14 | Warm |
| <i>Pleurothallis sicaria</i> | 15 | Warm |
| <i>Pleurothallis spathata</i> | 12 | Intermediate |
| <i>Pleurothallis talpinaria</i> | 12 | Intermediate to Warm |
| <i>Pleurothallis talpinarioides</i> | 18 | Intermediate to Warm |
| <i>Pleurothallis tarantula</i> | 25 | Intermediate to Warm |
| <i>Pleurothallis taurus*</i> | 10 | Cool |
| <i>Pleurothallis tricarinata</i> | 12 | Cool |
| <i>Pleurothallis truncata</i> | 15 | Cool |
| <i>Pleurothallis volans</i> | 10 | Intermediate to Warm |
| <i>Pleurothallis xantheta</i> | 12 | Cool |
| <i>Polycygnis barbata</i> | 12 | Warm |
| <i>Polycygnis muscifera</i> | 15 | Warm |
| <i>Polystachya concreta</i> | 15 | Intermediate to Warm |
| <i>Ponthieva maculata</i> | 20 | Intermediate to Warm |
| <i>Ponthieva pilosissima</i> | 15 | Intermediate to Warm |
| <i>Porphyrostachys pilifera</i> | 10 | Cool to Intermediate |
| <i>Porroglossum dactylum</i> | 15 | Cool to Intermediate |
| <i>Porroglossum eduardii</i> | 35 | Cool |
| <i>Porroglossum lycinum</i> | 20 | Intermediate |
| <i>Porroglossum muscosum</i> | 10 | Cool |
| <i>Porroglossum schramii</i> | 15 | Intermediate |
| <i>Porroglossum tripollex</i> | 18 | Cool to Intermediate |
| <i>Prescottia cordifolia</i> | 18 | Intermediate |
| <i>Prosthechea gramatoglossa</i> | 15 | Intermediate to Warm |
| <i>Prosthechea hartwegii</i> | 10 | Intermediate |
| <i>Prosthechea livida</i> | 12 | Warm |
| <i>Prosthechea pamplonense</i> | 12 | Intermediate |

| | | |
|------------------------------------|-----|----------------------|
| <i>Prosthechea vespa</i> | 15 | Cool |
| <i>Psychopsis krameriana</i> | 25 | Intermediate to Warm |
| <i>Psychmorchis glossomystax</i> | 12 | Intermediate to Warm |
| <i>Psychmorchis pusilla</i> | 10 | Warm |
| <i>Restrepia antennifera</i> | 12 | Cool |
| <i>Restrepia condorensis</i> | 12 | Intermediate |
| <i>Restrepia contorta</i> | 10 | Intermediate |
| <i>Restrepia cymbula</i> | 10 | Intermediate |
| <i>Restrepia falenbergii</i> | 14 | Intermediate to Warm |
| <i>Restrepia floskulata</i> | 18 | Intermediate to Warm |
| <i>Restrepia guttulata</i> | 10 | Cool |
| <i>Restrepia iris</i> | 10 | Intermediate |
| <i>Restrepia mendozae</i> | 12 | Intermediate |
| <i>Restrepia purpurea</i> | 17 | Intermediate |
| <i>Restrepia trichoglossa</i> | 12 | Intermediate |
| <i>Restrepiopsis tubulosa</i> | 12 | Intermediate |
| <i>Rodriguezia batemaniai</i> | 15 | Intermediate to Warm |
| <i>Rodriguezia chasei yellow</i> | 18 | Intermediate to Warm |
| <i>Rodriguezia refracta</i> | 15 | Intermediate to Warm |
| <i>Rodriguezia secunda</i> | 10 | Warm |
| <i>Rodriguezia venusta</i> | 12 | Intermediate to Warm |
| <i>Rudolfiella floribunda</i> | 10 | Warm |
| <i>Scaphosepalum anteniferum</i> | 12 | Intermediate to Warm |
| <i>Scaphosepalum breve</i> | 14 | Cool to Intermediate |
| <i>Scaphosepalum gilbertoi</i> | 12 | Intermediate to Warm |
| <i>Scaphosepalum grande</i> | 12 | Intermediate to Warm |
| <i>Scaphosepalum merinoi</i> | 12 | Cool to Intermediate |
| <i>Scaphosepalum portillae</i> | 25 | Cool |
| <i>Scaphosepalum rapax</i> | 12 | Intermediate to Warm |
| <i>Scaphosepalum swertiifolium</i> | 12 | Cool |
| <i>Scaphosepalum triceratops</i> | 14 | Cool |
| <i>Scaphyglottis falcata</i> | 15 | Cool |
| <i>Scaphyglottis graminifolia</i> | 12 | Cool |
| <i>Scaphyglottis leucantha</i> | 12 | Cool |
| <i>Scaphyglottis prolifera</i> | 15 | Cool |
| <i>Scelochilus chiribogae</i> | 10 | Intermediate |
| <i>Scelochilus luerae</i> | 12 | Intermediate |
| <i>Scelochilus ottonis</i> | 15 | Warm |
| <i>Schlimmia trifida</i> | 20 | Warm to Intermediate |
| <i>Schomburgkia moyobamba</i> | 22 | Warm to Intermediate |
| <i>Schomburgkia undulata</i> | 30 | Warm |
| <i>Schomburgkia rosea</i> | 15 | Warm |
| <i>Schomburgkia splendida</i> | 20 | Warm to Intermediate |
| <i>Schomburgkia wallissii</i> | 18 | Warm to Intermediate |
| <i>Scuticaria salesiana</i> | 18 | Warm |
| <i>Scuticaria mooreana*</i> | 35 | Intermediate to Warm |
| <i>Selenipedium aequinoctiale*</i> | 100 | Warm |
| <i>Sievekingia marsupialis</i> | 15 | Warm |
| <i>Sievekingia reichenbachiana</i> | 25 | Warm to Intermediate |
| <i>Sigmatostalix adamsii</i> | 10 | Warm |
| <i>Sigmatostalix auriculata</i> | 15 | Warm to Intermediate |

| | | |
|--|----|----------------------|
| <i>Sigmatostalix eliae</i> | 10 | Intermediate |
| <i>Sigmatostalix graminea</i> | 10 | Warm |
| <i>Sigmatostalix minax</i> | 10 | Intermediate to Warm |
| <i>Sigmatostallix morgani</i> | 15 | Warm to Intermediate |
| <i>Sigmatostalix pichinchensis</i> | 12 | Warm |
| <i>Sigmatostalix picta</i> | 10 | Warm |
| <i>Sigmatostalix sergii</i> | 12 | Warm |
| <i>Sigmatostalix morgani</i> | 10 | Warm |
| <i>Sobralia atropubescens</i> | 18 | Warm |
| <i>Sobralia crocea</i> | 15 | Intermediate |
| <i>Sobralia dorbygniana</i> | 15 | Warm to Intermediate |
| <i>Sobralia fragrans</i> | 18 | Warm to Intermediate |
| <i>Sobralia gentryi</i> | 20 | Warm to Intermediate |
| <i>Sobralia hirtzii</i> | 40 | Cool to Intermediate |
| <i>Sobralia portillae</i> | 25 | Cool |
| <i>Sobralia powellii</i> | 15 | Intermediate |
| <i>Sobralia rosea</i> | 12 | Intermediate |
| <i>Sobralia turkeliae</i> | 30 | Intermediate |
| <i>Sobralia virginialis</i> | 12 | Intermediate |
| <i>Sobralia yauaperiensis</i> (seedling) | 10 | Warm |
| <i>Solenidium peruviana</i> | 15 | Intermediate |
| <i>Solenidium portillae</i> | 18 | Warm to Intermediate |
| <i>Stanhopea connata</i> | 12 | Intermediate to Warm |
| <i>Stanhopea florida</i> | 12 | Warm |
| <i>Stanhopea impressa</i> | 18 | Warm to Intermediate |
| <i>Stanhopea jenishiana</i> | 12 | Intermediate to Warm |
| <i>Stanhopea stevensoni</i> | 25 | Warm |
| <i>Stanhopea tricornis</i> | 12 | Intermediate to Warm |
| <i>Stelis argentata</i> | 10 | Intermediate |
| <i>Stelis aviceps</i> . | 10 | Intermediate |
| <i>Stelis cajanumae</i> | 10 | Intermediate |
| <i>Stelis dactyloptera</i> | 10 | Intermediate |
| <i>Stelis embreii</i> * | 14 | Intermediate |
| <i>Stelis eublepharis</i> | 10 | Intermediate |
| <i>Stelis flexuosa</i> | 10 | Intermediate to Warm |
| <i>Stelis hirtella</i> | 10 | Warm |
| <i>Stelis hirtzii</i> | 10 | Intermediate |
| <i>Stelis matula</i> | 10 | Cool |
| <i>Stelis nexipous</i> | 10 | Intermediate |
| <i>Stelis pachyphyta</i> * | 17 | Intermediate |
| <i>Stelis gemma</i> | 10 | Intermediate |
| <i>Stelis glomerosa</i> | 10 | Cool |
| <i>Stelis superbiens</i> | 10 | Cool |
| <i>Stelis uniflora</i> | 12 | Cool |
| <i>Stenia bismarckii</i> | 15 | Cool to Intermediate |
| <i>Stenia calceolaris</i> | 12 | Intermediate |
| <i>Stenia gemma</i> | 12 | Warm |
| <i>Stenia pallida</i> | 10 | Warm |
| <i>Symphiglossum sanguineum</i> | 12 | Cool |
| <i>Telipogon albertii</i> | | |

| | | |
|---------------------------------------|-----|----------------------|
| <i>Telipogon andicola</i> | 15 | Cool to Intermediate |
| <i>Telipogon hutchinsonii</i> | 18 | Cool to Intermediate |
| <i>Telipogon thomasi</i> | 20 | Cool to Intermediate |
| <i>Telipogon venustus</i> | 15 | Cool to Intermediate |
| <i>Teuscheria dodsonii</i> | 14 | Warm |
| <i>Trichocentrum albopurpurea</i> | 15 | Intermediate to Warm |
| <i>Trichocentrum alboccineum</i> | 15 | Intermediate to Warm |
| <i>Trichocentrum brandthiae</i> | 15 | Intermediate to Warm |
| <i>Trichocentrum fuscum</i> | 12 | Warm |
| <i>Trichocentrum longicalcaratum*</i> | 15 | Intermediate to Warm |
| <i>Trichocentrum morenoi</i> | 15 | Warm |
| <i>Trichocentrum pfavii</i> | 15 | Intermediate to Warm |
| <i>Trichocentrum pulchrum</i> | 10 | Warm |
| <i>Trichocentrum tigrinum</i> | 10 | Warm |
| <i>Trichoceros antennifera</i> | 12 | Cool |
| <i>Trichoceros muralis</i> | 10 | Cool |
| <i>Trichopilia fragrans</i> | 12 | Intermediate to Warm |
| <i>Trichopilia hennisiana</i> | 15 | Intermediate to Warm |
| <i>Trichopilia laxa</i> | 12 | Intermediate to Warm |
| <i>Trichopilia rostrata</i> | 12 | Intermediate to Warm |
| <i>Trichosalpinx apoda</i> | 12 | Intermediate |
| <i>Trichosalpinx berlinei</i> | 12 | Intermediate to Warm |
| <i>Trichosalpinx chamaelepanthes</i> | 10 | Cool |
| <i>Trichosalpinx dirhampis</i> | 10 | Cool to Intermediate |
| <i>Trichosalpinx dura</i> | 10 | Cool to Intermediate |
| <i>Trichosalpinx memor</i> | 10 | Cool to Intermediate |
| <i>Trigonidium egertonianum</i> | 10 | Intermediate |
| <i>Trigonidium grande</i> | 15 | Intermediate |
| <i>Trigonidium riopalenquensis</i> | 12 | Intermediate |
| <i>Trisetella abbreviata</i> | 10 | Intermediate |
| <i>Trisetella andreetae</i> | 10 | Intermediate |
| <i>Trisetella dydimia</i> | 15 | Intermediate |
| <i>Trisetella hoeijerii</i> | 18 | Intermediate |
| <i>Trisetella pantex</i> | 10 | Intermediate |
| <i>Trisetella regia</i> | 14 | Intermediate |
| <i>Vanilla pompona</i> | 15 | Warm |
| <i>Warzewiczella timbiensis</i> | 40 | Warm to Intermediate |
| <i>Warmingia zamorensis</i> | 18 | Warm to Intermediate |
| <i>Warrea warreana</i> | 20 | Warm to Intermediate |
| <i>Xylobium colleyii*</i> | 12 | Warm to Intermediate |
| <i>Xylobium foveatum</i> | 12 | Cool |
| <i>Xylobium ornatum</i> | 12 | Warm to Intermediate |
| <i>Xylobium pallidiflorum</i> | 12 | Warm to Intermediate |
| <i>Xylobium squalens*</i> | 12 | Warm to Intermediate |
| <i>Xylobium zarumensis*</i> | 12 | Warm |
| <i>Zelenkoa onusta</i> | 10 | Warm |
| <i>Zootrophion dayanum</i> | 10 | Cool to Intermediate |
| <i>Zootrophion griffin</i> | 12 | Intermediate |
| | | |
| GENUS & SPECIES | USD | Climate |

TROPICAL PLANTS: The most of these plants are seedling size.

| | | |
|--|----|--------------------------|
| <i>Aechmea drakeana</i> | 15 | W arm |
| <i>Anthurium angam arcanum</i> | 25 | W arm |
| <i>Anthurium clavigerum</i> | 18 | W arm |
| <i>Anthurium corrugatum</i> (Seedling) | 12 | Cool to Intermed iate |
| <i>Anthurium ernestii</i> | 18 | W arm to Intermed iate |
| <i>Anthurium magnificum</i> | 15 | W arm |
| <i>Anthurium magnificum</i> var green | 30 | W arm |
| <i>Anthurium ovatifolium</i> | 20 | W arm |
| <i>Anthurium ovatifolium</i> var red | 30 | W arm |
| <i>Anthurium oxycarpum</i> | 30 | W arm |
| <i>Anthurium panguense</i> | 20 | W arm |
| <i>Anthurium paquishae</i> | 25 | W arm |
| <i>Anthurium reflexinervium</i> (seedling) | 25 | W arm (size 15 - 18 cm) |
| <i>Anthurium scolopendrinum</i> | 18 | W arm |
| <i>Anthurium</i> var urbanii | 22 | W arm |
| <i>Begonia masoniana</i> | 10 | W arm |
| <i>Begonia</i> Rex | 5 | W arm |
| <i>Columnea elegantifolia</i> | 20 | W arm |
| <i>Columnea arguta</i> | 15 | Intermed iate to w arm |
| <i>Columnea gloriosa</i> | | |
| <i>Elapoglossum crinitum</i> | 20 | W arm |
| <i>Elapoglossum decoratum</i> | 20 | W arm |
| <i>Elapoglossum metallicum</i> | 15 | W arm |
| <i>Guzmania andreetae</i> | 25 | W arm to Intermed iate |
| <i>Guzmania melinones</i> | 25 | W arm to Intermed iate |
| <i>Guzmania sanguinea</i> | | |
| <i>Guzmania zamorensis</i> | 25 | W arm to Intermed iate |
| <i>Heliconia rostrata</i> | | |
| <i>Pearcea rugosissima</i> | 25 | W arm |
| <i>Philodendron silverado</i> | 25 | W arm |
| <i>Tillandsia biflora</i> | | |
| <i>Tillandsia bulbosa</i> | 12 | W arm |
| <i>Tillandsia bulbosa lanuda</i> | 15 | W arm |
| <i>Tillandsia brenerii</i> | 18 | |
| <i>Tillandsia complanata</i> | 8 | W arm |
| <i>Tillandsia cyanea</i> | 12 | W arm |
| <i>Tillandsia semanii</i> | 12 | Cool to Intermed iate |
| <i>Tillandsia straminea</i> | 12 | W arm to Intermed iate |
| <i>Tillandsia taticola</i> | 12 | Cool to Intermed iate |
| <i>Tillandsia tectorum</i> | 8 | W arm to Intermed iate |
| <i>Tillandsia umbellata</i> | 10 | W arm to Intermed iate |
| <i>Tillandsia undulifolia</i> | 12 | W arm to Intermed iate |
| VARIETY | | USD |
| FLASKS | | |
| <i>Ackermania palorae</i> | 48 | 15 plants per flask |
| <i>Acronia adeleae</i> | 35 | 15 plants per flask |
| <i>Anguloa virginalis</i> | 38 | 15 plants per flask |
| <i>Benzingia estradae</i> | 50 | 15 plants per flask |
| <i>Benzingia hirtzii</i> | 50 | 15 plants per flask |
| <i>Bollea ecuadorana</i> | 40 | 15 plants per flask |
| <i>Bollea ecuadorana</i> semialba | 80 | 15 plants per flask |

| | | |
|---------------------------------------|-----|---------------------|
| <i>Bollea hirtzii</i> | 35 | 15 plants per flask |
| <i>Cattleya quadricolor</i> | 60 | 15 plants per flask |
| <i>Chaubardia surinamensis</i> | 35 | 15 plants per flask |
| <i>Chaubardiella dalessandroi</i> | 45 | 15 plants per flask |
| <i>Chondrorhyncha antonii</i> | 40 | 15 plants per flask |
| <i>Chondroscaphe atrilinguis</i> | 35 | 15 plants per flask |
| <i>Chondroscaphe escobariana</i> | 30 | 15 plants per flask |
| <i>Cischweinfia dasyandra</i> | 30 | 15 plants per flask |
| <i>Cochleanthes discolor</i> | 60 | 15 plants per flask |
| <i>Cochlioda noezliana</i> | 35 | 15 plants per flask |
| <i>Cohniella stacyi</i> | 70 | 15 plants per flask |
| <i>Comparettia speciosa</i> | 35 | 15 plants per flask |
| <i>Coryanthes speciosa</i> | 35 | 15 plants per flask |
| <i>Cuitlauzina pendula</i> | 45 | 15 plants per flask |
| <i>Cuitlauzina pulchella</i> | 30 | 15 plants per flask |
| <i>Cyrtochilum cryptocopis</i> | 35 | 15 plants per flask |
| <i>Cyrtochilum edwardii</i> | 35 | 15 plants per flask |
| <i>Cyrtochilum myanthum</i> | 30 | 15 plants per flask |
| <i>Cyrtochilum pardinum</i> | 35 | 15 plants per flask |
| <i>Cyrtochilum ramosissimum album</i> | 35 | 15 plants per flask |
| <i>Cyrtochilum retusum</i> | 35 | 15 plants per flask |
| <i>Dendrobium aggregatum</i> | 40 | 15 plants per flask |
| <i>Dendrobium antennatum</i> | 35 | 15 plants per flask |
| <i>Dendrobium formosum</i> | 35 | 15 plants per flask |
| <i>Dendrobium spectabile</i> | 40 | 15 plants per flask |
| <i>Dracula amaliae</i> | 40 | 15 plants per flask |
| <i>Dracula andreettae</i> | 35 | 15 plants per flask |
| <i>Dracula benedictii</i> | 35 | 15 plants per flask |
| <i>Dracula chiroptera</i> | 45 | 15 plants per flask |
| <i>Dracula cordobae</i> | 30 | 15 plants per flask |
| <i>Dracula diana xanthina</i> | 100 | 15 plants per flask |
| <i>Dracula felix</i> | 35 | 15 plants per flask |
| <i>Dracula gigas black</i> | 100 | 15 plants per flask |
| <i>Dracula hirsuta red</i> | 50 | 15 plants per flask |
| <i>Dracula hirtzii</i> | 40 | 15 plants per flask |
| <i>Dracula terborchii</i> | 50 | 15 plants per flask |
| <i>Dracula tsubotae</i> | 50 | 15 plants per flask |
| <i>Dracula vampira</i> | 60 | 15 plants per flask |
| <i>Dracula venefica</i> | 35 | 15 plants per flask |
| <i>Dracula wallisii</i> | 40 | 15 plants per flask |
| <i>Elleanthus oliganthus</i> | 45 | 15 plants per flask |
| <i>Embreea rodigasiana</i> | 35 | 15 plants per flask |
| <i>Encyclia angustiloba</i> | 35 | 15 plants per flask |
| <i>Encyclia cordigera pink</i> | 30 | 15 plants per flask |
| <i>Encyclia patens</i> | 35 | 15 plants per flask |
| <i>Encyclia randii</i> | 45 | 15 plants per flask |
| <i>Epidendrum baezaense</i> | 40 | 15 plants per flask |
| <i>Epidendrum bifalce</i> | 35 | 15 plants per flask |
| <i>Epidendrum capricornu</i> | 35 | 15 plants per flask |
| <i>Epidendrum ciliare</i> | 40 | 15 plants per flask |

| | | |
|-----------------------------------|----|---------------------|
| <i>Epidendrum cochlidium</i> | 40 | 15 plants per flask |
| <i>Epidendrum coronatum</i> | 35 | 15 plants per flask |
| <i>Epidendrum corymbosum</i> | 35 | 15 plants per flask |
| <i>Epidendrum echinatum</i> | 30 | 15 plants per flask |
| <i>Epidendrum embreei</i> | 45 | 15 plants per flask |
| <i>Epidendrum escobarianum</i> | 50 | 15 plants per flask |
| <i>Epidendrum goodspeedianum</i> | 35 | 15 plants per flask |
| <i>Epidendrum jasminosum</i> | 45 | 15 plants per flask |
| <i>Epidendrum lacustre</i> | 35 | 15 plants per flask |
| <i>Epidendrum lehmannii</i> | 35 | 15 plants per flask |
| <i>Epidendrum magnificum</i> | 35 | 15 plants per flask |
| <i>Epidendrum mancum</i> | 50 | 15 plants per flask |
| <i>Epidendrum medinae</i> | 50 | 15 plants per flask |
| <i>Epidendrum medusae</i> | 40 | 15 plants per flask |
| <i>Epidendrum nanegalense</i> | 40 | 15 plants per flask |
| <i>Epidendrum nocturnum</i> | 35 | 15 plants per flask |
| <i>Epidendrum porphyreum</i> | 40 | 15 plants per flask |
| <i>Epidendrum schistochilum</i> | 40 | 15 plants per flask |
| <i>Epidendrum summerhayesii</i> | 45 | 15 plants per flask |
| <i>Erycina pusilla</i> | 35 | 15 plants per flask |
| <i>Gongora chocoensis</i> | 35 | 15 plants per flask |
| <i>Gongora gibba</i> | 35 | 15 plants per flask |
| <i>Gongora sanderiana</i> | 45 | 15 plants per flask |
| <i>Houlletia odoratissima</i> | 40 | 15 plants per flask |
| <i>Ida cinnabarina</i> | 45 | 15 plants per flask |
| <i>Ida costata</i> | 40 | 15 plants per flask |
| <i>Ida dyeriana</i> | 0 | 15 plants per flask |
| <i>Ida fibriata</i> | 35 | 15 plants per flask |
| <i>Ida linguella</i> | 35 | 15 plants per flask |
| <i>Ida reichenbachii</i> | 40 | 15 plants per flask |
| <i>Jostia teaguei</i> | 35 | 15 plants per flask |
| <i>Kefersteinia graminea</i> | 30 | 15 plants per flask |
| <i>Kefersteinia pellita</i> | 35 | 15 plants per flask |
| <i>Kefersteinia sanguinolenta</i> | 35 | 15 plants per flask |
| <i>Kefersteinia tolimensis</i> | 35 | 15 plants per flask |
| <i>Lockhartia bennettii</i> | 50 | 15 plants per flask |
| <i>Lueddemannia striata</i> | 60 | 15 plants per flask |
| <i>Lycaste dowiana</i> | 35 | 15 plants per flask |
| <i>Lycaste jimenezii</i> | 50 | 15 plants per flask |
| <i>Lycaste longiscapa</i> | 45 | 15 plants per flask |
| <i>Lycaste luminosa</i> | 40 | 15 plants per flask |
| <i>Lycaste portillae</i> | 40 | 15 plants per flask |
| <i>Lycaste schilleriana</i> | 35 | 15 plants per flask |
| <i>Lycaste skinneri</i> | 80 | 15 plants per flask |
| <i>Lycaste tricolor</i> | 35 | 15 plants per flask |
| <i>Lycaste trifoliata</i> | 30 | 15 plants per flask |
| <i>Lycaste xanthocheila</i> | 35 | 15 plants per flask |
| <i>Lycaste xytriophora</i> | 40 | 15 plants per flask |
| <i>Lycomormium fiskei</i> | 35 | 15 plants per flask |
| <i>Macroclinium manabinum</i> | 35 | 15 plants per flask |

| | | |
|-------------------------------------|----|---------------------|
| <i>Masdevallia amabilis alba</i> | 25 | 15 plants per flask |
| <i>Masdevallia anfracta</i> | 25 | 15 plants per flask |
| <i>Masdevallia asterotricha</i> | 30 | 15 plants per flask |
| <i>Masdevallia ayabacana</i> | 40 | 15 plants per flask |
| <i>Masdevallia belua</i> | 35 | 15 plants per flask |
| <i>Masdevallia calosiphon</i> | 0 | 15 plants per flask |
| <i>Masdevallia chaparensis</i> | 35 | 15 plants per flask |
| <i>Masdevallia chimboensis</i> | 35 | 15 plants per flask |
| <i>Masdevallia chuspipatae</i> | 45 | 15 plants per flask |
| <i>Masdevallia cloesii</i> | 35 | 15 plants per flask |
| <i>Masdevallia coccinea</i> | 30 | 15 plants per flask |
| <i>Masdevallia coccinea alba</i> | 35 | 15 plants per flask |
| <i>Masdevallia colossus</i> | 30 | 15 plants per flask |
| <i>Masdevallia decepatrix</i> | 35 | 15 plants per flask |
| <i>Masdevallia discoidea</i> | 45 | 15 plants per flask |
| <i>Masdevallia draconis</i> | 40 | 15 plants per flask |
| <i>Masdevallia fulvescens</i> | 35 | 15 plants per flask |
| <i>Masdevallia garciae</i> | 35 | 15 plants per flask |
| <i>Masdevallia goliath</i> | 35 | 15 plants per flask |
| <i>Masdevallia hartmanii</i> | 60 | 15 plants per flask |
| <i>Masdevallia infracta</i> | 35 | 15 plants per flask |
| <i>Masdevallia lappifera</i> | 70 | 15 plants per flask |
| <i>Masdevallia lychniphora</i> | 35 | 15 plants per flask |
| <i>Masdevallia murex</i> | 30 | 15 plants per flask |
| <i>Masdevallia paivaena</i> | 30 | 15 plants per flask |
| <i>Masdevallia princeps</i> | 35 | 15 plants per flask |
| <i>Masdevallia rolfeana</i> | 35 | 15 plants per flask |
| <i>Masdevallia sanctae-inesae</i> | 35 | 15 plants per flask |
| <i>Masdevallia sanguinea</i> | 40 | 15 plants per flask |
| <i>Masdevallia veitchiana</i> | 30 | 15 plants per flask |
| <i>Masdevallia velifera</i> | 40 | 15 plants per flask |
| <i>Masdevallia wendlandiana</i> | 35 | 15 plants per flask |
| <i>Maxillaria calantha</i> | 35 | 15 plants per flask |
| <i>Maxillaria carinulata</i> | 35 | 15 plants per flask |
| <i>Maxillaria elegantula</i> | 40 | 15 plants per flask |
| <i>Maxillaria fletcheriana</i> | 35 | 15 plants per flask |
| <i>Maxillaria funicaulis</i> | 35 | 15 plants per flask |
| <i>Maxillaria leptosepala</i> | 35 | 15 plants per flask |
| <i>Maxillaria nasuta</i> | 30 | 15 plants per flask |
| <i>Maxillaria reichenheimiana</i> | 35 | 15 plants per flask |
| <i>Maxillaria schunkeana</i> | 30 | 15 plants per flask |
| <i>Maxillaria speciosa</i> | 45 | 15 plants per flask |
| <i>Miltoniopsis bismarkii</i> | 30 | 15 plants per flask |
| <i>Odontoglossum aurarium</i> | 25 | 15 plants per flask |
| <i>Odontoglossum cirrhosum alba</i> | 35 | 15 plants per flask |
| <i>Odontoglossum cristatum</i> | 35 | 15 plants per flask |
| <i>Odontoglossum harryanum</i> | 40 | 15 plants per flask |
| <i>Odontoglossum lacerum</i> | 35 | 15 plants per flask |
| <i>Odontoglossum nobile</i> | 45 | 15 plants per flask |
| <i>Oncidium aloisii</i> | 40 | 15 plants per flask |

| | | |
|--|-----|---------------------|
| <i>Oncidium ampliatum</i> | 30 | 15 plants per flask |
| <i>Oncidium cariniferum</i> | 30 | 15 plants per flask |
| <i>Oncidium crispum</i> | 35 | 15 plants per flask |
| <i>Oncidium klotzschianum</i> | 35 | 15 plants per flask |
| <i>Oncidium mantense</i> | 60 | 15 plants per flask |
| <i>Oncidium praetextum</i> | 35 | 15 plants per flask |
| <i>Oncidium zelenkoanum</i> | 35 | 15 plants per flask |
| <i>Paphinia herrerae alba</i> | 40 | 15 plants per flask |
| <i>Paphinia neudeckeri</i> | 40 | 15 plants per flask |
| <i>Peristeria elata</i> | 35 | 15 plants per flask |
| <i>Peristeria pendula</i> | 45 | 15 plants per flask |
| <i>Pescatoria klabochorum</i> | 35 | 15 plants per flask |
| <i>Pescatoria lamellosa</i> | 35 | 15 plants per flask |
| <i>Phragmipedium andreetae</i> | 150 | 10 plants per flask |
| <i>Phragmipedium caudatum</i> | 50 | 11 plants per flask |
| <i>Phragmipedium caudatum</i> x <i>Phragmipedium</i> | 45 | 12 plants per flask |
| <i>Phragmipedium dalessandroi</i> | 100 | 13 plants per flask |
| <i>Phragmipedium fischeri</i> x <i>Phragmipedium kov</i> | 100 | 14 plants per flask |
| <i>Phragmipedium kovachii</i> | 105 | 15 plants per flask |
| <i>Phragmipedium kovachii</i> x <i>Phragmipedium car</i> | 105 | 16 plants per flask |
| <i>Phragmipedium Kovachii</i> X <i>Phrag. Dalessand</i> | 80 | 17 plants per flask |
| <i>Phragmipedium lindleyanum</i> x <i>Phragmipedium</i> | 60 | 18 plants per flask |
| <i>Phragmipedium lindleyanum</i> x <i>Phragmipedium</i> | 100 | 19 plants per flask |
| <i>Phragmipedium reticulatum</i> | 45 | 20 plants per flask |
| <i>Phragmipedium Richteri</i> X <i>Phrag. Kovachii</i> | 80 | 21 plants per flask |
| <i>Phragmipedium wallisii</i> | 50 | 22 plants per flask |
| <i>Pleurothallis angustipetala</i> | 35 | 15 plants per flask |
| <i>Pleurothallis dodsonii</i> | 35 | 15 plants per flask |
| <i>Pleurothallis echinocarpa</i> | 35 | 15 plants per flask |
| <i>Pleurothallis lappago</i> | 40 | 15 plants per flask |
| <i>Pleurothallis medinae</i> | 40 | 15 plants per flask |
| <i>Pleurothallis megalops</i> | 35 | 15 plants per flask |
| <i>Pleurothallis schweinfurthii</i> | 35 | 15 plants per flask |
| <i>Pleurothallis troglodytes</i> | 30 | 15 plants per flask |
| <i>Pleurothallis ximena</i> | 40 | 15 plants per flask |
| <i>Pleurothallis zumbae</i> | 35 | 15 plants per flask |
| <i>Polycycnis barbata</i> | 40 | 15 plants per flask |
| <i>Ponthieva maculata</i> | 45 | 15 plants per flask |
| <i>Porroglossum dreisei</i> | 40 | 15 plants per flask |
| <i>Porroglossum lycinum</i> | 45 | 15 plants per flask |
| <i>Porroglossum portillae</i> | 35 | 15 plants per flask |
| <i>Porroglossum schramii</i> | 35 | 15 plants per flask |
| <i>Prosthechea brassavolae</i> | 35 | 15 plants per flask |
| <i>Restrepia chocoensis</i> | 100 | 15 plants per flask |
| <i>Restrepia nittiorhyncha</i> | 45 | 15 plants per flask |
| <i>Rodriguezia batemani</i> | 35 | 15 plants per flask |
| <i>Rodriguezia chasei</i> | 35 | 15 plants per flask |
| <i>Rodriguezia lanceolata</i> | 45 | 15 plants per flask |
| <i>Rossioglossum grande</i> | 35 | 15 plants per flask |
| <i>Scaphosepalum gibberosum</i> | 35 | 15 plants per flask |

| | | |
|--------------------------------------|----|---------------------|
| <i>Scuticaria salesiana</i> | 40 | 15 plants per flask |
| <i>Sievekingia reichenbachiana</i> | 35 | 15 plants per flask |
| <i>Sigmatostalix amazonica</i> | 35 | 15 plants per flask |
| <i>Sobralia atropubescens</i> | 50 | 15 plants per flask |
| <i>Sobralia bimaculata</i> | 50 | 15 plants per flask |
| <i>Sobralia gloriosa</i> | 45 | 15 plants per flask |
| <i>Sobralia hirtzii</i> | 80 | 15 plants per flask |
| <i>Sobralia kerryae</i> | 45 | 15 plants per flask |
| <i>Sobralia paradisiaca</i> | 45 | 15 plants per flask |
| <i>Sobralia turkeliae</i> | 60 | 15 plants per flask |
| <i>Sobralia undatocarinata</i> | 60 | 15 plants per flask |
| <i>Sobralia warszewiczii</i> | 35 | 15 plants per flask |
| <i>Solenidiopsis tigroides</i> | 35 | 15 plants per flask |
| <i>Sophronitis brevipedunculata</i> | 45 | 15 plants per flask |
| <i>Sophronitis rosea</i> | 45 | 15 plants per flask |
| <i>Stanhopea gibbosa</i> | 35 | 15 plants per flask |
| <i>Stanhopea nigroviolacea</i> | 35 | 15 plants per flask |
| <i>Stanhopea platyceras</i> | 35 | 15 plants per flask |
| <i>Stenia guttata</i> | 35 | 15 plants per flask |
| <i>Stenia pallida</i> | 30 | 15 plants per flask |
| <i>Ticoglossum oerstedii</i> | 40 | 15 plants per flask |
| <i>Trichocentrum longicalcaratum</i> | 45 | 15 plants per flask |
| <i>Trichoceros oñaensis</i> | 35 | 15 plants per flask |
| <i>Trichopilia aenigma</i> | 35 | 15 plants per flask |
| <i>Trichopilia laxa</i> | 35 | 15 plants per flask |
| <i>Trichosalpinx ciliaris</i> | 40 | 15 plants per flask |
| <i>Trichosalpinx escobarii</i> | 40 | 15 plants per flask |
| <i>Trisetella abbreviata</i> | 35 | 15 plants per flask |
| <i>Trisetella hoeijeri</i> | 45 | 15 plants per flask |
| <i>Zelenkoa onusta</i> | 35 | 15 plants per flask |